

ANIMAL FEED SUPPLEMENTS

VETBIOCAL GOLD

Oral Dietary Supplement

Composition: Each 10 mil Contains
Calcium Gluconate 250 mg, Tricalcium
Phosphate 500 mg, Manganese Sulphate 20 mg,
Magnesium sulphate 40 mg, zinc sulphate 20 mg,
Cobalt Sulphate 40 mg, Protein Hydrosylate 50
mg, Betaine HCL 50 mg, Ferric ammonium citrate
20 mg, boric acid 25 mg, vitamin D3 12000 IU,
vitamin D3 2000 IU and Vitamine B12 2000 IU

Benefits:

- \checkmark Improves milk yield, prevents anaemia and stunted growth.
- Prevents milk fever, downers syndrome caused by hypocalcaemia condition due to low calcium levels.

Dose and Direction of Use :

Cattle & Buffalo: 100-150 ml per day for 5 days Dog & Cat: 15-20 ml per Day for 20 days Sheep & Goat: 10-20 ml per day for 5 days



VETBIOPLEX FORTE

Unique formulation fortified with vitamins, Amino acids and minerals

Composition: Each 10 mil Contains
Vitamin-A 7000 IU, Vitamin D3 2000, Vitamin-E 25 mg, Vitamin-B1 4.85mg, Vitamin B2 2.25mg,
Vitamin-B6 1.85 mg, Vitamin-B12 1.25 mg,
Niacinamide 50 mg, DL Methionine 250 mg, L Lysine
275 mg, Choline Chloride 500 mg, D-Panthenol
1.75 mg, Biotin 100mcg and Inositol 20 mg.

Benefits :

Improves the growth of the animal and inturn keeps the animal healthy and disease free.

Dose and Direction of Use

Cattle & Buffalo: 50-100 ml per day for 5 days, Sheep, Goat & Calf: 5-10 ml per day for 5 days, Chicks: 10-15 ml per 100 birds for 7 days; Growers: 15-20 ml per 100 birds for 7 days; Layers: 25-30 ml per 100 birds for 7 days.



VETBIO LIV

Specially Formulated Oral Dietary Supplement for healthy liver

Composition: Each 10 mil Contains

Liver Extract 2500 mg, Choline Chloride 2500 mg, Niacinamide 450 mg, Inositol 550mg, Yeast Extract 600mg, Vitamin-B1 50 mg, Vitamin-B12 700 mcg, D-Panthenol 25 mg, Biotin 150mcg Benefits:

√ Improves liver performance and function.

✓ Minimises the risk of fatty liver syndrome and ascites

Dose and Direction of Use :

Cattle & Buffalo: 50ml per day for 3-5 days Sheep, Goat & Calf: 15 ml per day for 3-5 days Broiler: 15-20 ml per 100 birds for 5 days; Layers: 20-30 ml per 100 birds for 5 days.



TRYCLOGARD

Composition:

Each ml Contains

 $\begin{array}{lll} \mbox{Triclabendazole} & : & 5.0 \ \% \ \mbox{w/v} \\ \mbox{Ivermectin:} & \mbox{I.P.} & : & 0.1 \ \% \ \mbox{w/v} \end{array}$

Dose & Direction of Use:

Cattle, Buffalo, sheep, goat: 1 ml/5 kg body weight, as a oral drench or as directed by veterinarian

Treatment indications:

- ✓ Liver flukes (Fasciola), Gastro-intestinal Nematodes and Lungworm in livestock.
- ✓ Oesophagostomum, strongyloides, trichuris, nematodirus and chabertia in cattle and sheep.
- Sucking lice-linognanthus, Heamatopinus and Solenoptes in cattle.



ALBEDOR - N

Composition:

ARMING / ANTHEL

Each 5 ml contains

Niclosamide I.P: 500 mg Albendazole I.P: 150 mg

Dose & Direction of Use :

Cattle, Buffalo, Horse, sheep & goat: 1ml / 4 kg body weight, as a oral drench or as directed by veterinarian

Treatment indications:

- ✓ Tape worms (Moniezia spp & Fringed tapeworm) and Flukes (Fasciola hepatica, Fasciola gigantica and Fascioloides manga) in livestock.
- ✓ Ascardis, Hook worm, Taenia hydatigena, T. pisiformsis, T.taeniformis and Dipylidium canium in dogs



VETZENT

Composition: Each ml contains CLOSANTEL: 150 mg

Dose & Direction of Use:

Ectoparasites and flukes: 15mg/kg body weight or 1 ml/10 kg body weight as oral drench or as directed by veterinarian

Treatment indications:

- √ Endoparasites such as Liver flukes, Amphistomes, Tape worms, Round worms, Lung Worms, Nasal Schistosomiasis
- ✓ Ectoparasites such as ticks and lice.



Dose & Direction of Use:

Cattle, buffalo, sheep and goat: 1 ml per 3 kg body weight as oral drench or as directed by the veterinarian.

Treatment indications:

- ✓ Effective against Round worms and Tapeworms
- √ Controlls Fascioliasis and Amphistomiasis in Cattle, Sheep and Goat.
- Act against immature and mature liver flukes in liver and bile duct.



RAFO-IV

Composition: (Each ml contains) Rafoxanide I.P.: 3.0% w/v

Dose & Direction of Use: Cattle, buffalo, sheep and goat: 1 ml per 4 kg body weight as oral drench or as directed by the veterinarian

Treatment indications:

- ✓ ·Fasciola (Immature and adult liver flukes)
- ✓ Immature and adult gastro-intestinal nematodes (Ostertagia, heamonchus, Trichostrongylus and Cooperia) in cattle and sheep.



VB-MEC

Composition: Each ml contains

Ivermectin I.P. : 0.08 % w/v

Dose & Direction of Use: Cattle, Buffalo, sheep and Goat: 1 ml/4kg body weight as a oral drench or as directed by the veterinarian.

Treatment indications :

- ✓ Scabies, Pediculosis, Ticks & Mites
- ✓ Nematode infestations & Microfilarial infections
- ✓ Nasalbots and maggot wounds



FEN-B-DOR PLUS

Composition : (Each ml contains)
Fenbendazole :1.5 % w/v
Praziquantel :0.5 %w/v

Dose & Direction of Use: Cattle, Buffalo, sheep and Goat: 1 ml/3kg body weight as a oral drench or as directed by the veterinarian

Treatment indications :

- √ Broad spectrum anthelmintics active against Tapeworms, round worms, hookworms and whipworms.
- √ Used for the treatment of worm infestations in adult cats as an aid in the control of the lungworm (Aelurostrongylus abstrusus) in cats.



FLOXVET- BH LIQUID

Composition: (Each ml contains)

Enrofloxacin I.P 100mg Bromhexine hydrochloride I.P 7.5 mg

Dose & Direction of Use: Cattle, Buffalo, sheep and Goat: 1 ml/20 kg body weight as a oral drench or as directed by the veterinarian.

Treatment indications:

- √ Treats urinary tract infections and respiratory tract infections.
- Mixed bacterial and Mycoplasmal infections in amimals.
- ✓ Tissue infections and external skin infections.



BYCIPRO-TZ POWDER

Composition: (Each ml contains) Ciprofloxacin Hcl I.P.: 10 % w/w

Tinidazole I.P.: 12% w/w. Excipients: q.s.

Dose & Direction of Use: Livestock: 1 gm per10 kg body weight for three to 5 days as a oral drench or as directed by the veterinarian. Poultry: 1 gm per itr. of drinking water for 5-7 days or as directed by the poultry expert.

Treatment indications:

- ✓ Treats colibacillosis, anthrax, pasteurellosis (Hemorrhagic septicaemia & Black quarter)
- ✓ Actinomycosis and mastitis infections in cattle
- ✓ Salmonellosis, Infectious coryzo, Fowl cholera in poultry birds.



BIOTICS & BOLUS

DEWARMING / ANTHELMINTICS

JECTABLES

LCIN - BH LIQUID

Composition: (Each ml contains)

Levofloxacin 100mg, bromhexine hydrocloride I.P. 7.5 mg

Dose & Direction of Use : Cattle, Buffalo, sheep and Goat: 1 ml/10 kg body weight as a oral drench or

as directed by the veterinarian.

Poultry: 1 ml / 1 Ltr Drinking Water

Treatment indications:

- √ Gastro intestinal tract infections
- ✓ Mild and complicated skin and tissue infection
- ✓ Chronic Bacterial Prostatitis



ML-FURAZO

Composition:

(Each Uncoated Bolus Contain)
Metronidazole IP 1000 mg
Furazolidone IP 200 mg
Loperamide HCL IP 4 mg
Excipient Q.s

Treatment indications:

- ✓ Diarrhoea, Endometritis, Retained Placenta.
- ✓ Calf Scours, Calf Diptheria, Necrotic Enteritis, Pneumonia.

Dose & Direction of Use :

Large Animals: 4 Bolus twice a Day & Small Animals: 2 Bolus twice a Day or as directed by the veterinarian.



AZIOVET

Composition:

(Each ml contains):

Azithromycin Oral Suspension 40 mg

Dose & Direction of Use:

Cattle, Buffalo, sheep and goat: 10 mg/kg B.wt or 2.5 ml per 10 kg B.wt.(IM/IV/SC) or as directed by the veterinarian.

Treatment indications:

Treats chronic Respiratory Disease (CRD) Caused by Mycoplasma spp. and URTI caused by Gram Positive Bacteria in poultry.



BYCEFT

Composition: (Each Vial Contains) Ceftiofur Sodium I.P. 1 gm

Administration: Cattle & Sheep: 1.1 mg to 2.2 mg per kg body weight or as directed by the veterinarian

Indications

- ✓ Upper and lower Respiratory tract infections such as Pneumonia and Bronchitis.
- Bacterial Septicemia, Deep wounds, Bone and ioint infections.
- √ Pasteurella multocida, Pasteurella haemolytica, Haemophilus somnus infections in Bovine.



BYCEF-TAZO

Composition : (Each Vial Contains): Ceftriaxone Sodium I.P. : 4 gm

Sterile Tazobactum Sodium : 0.5 gm. + Excipients Q.s

Administration: Cattle & buffalo: 5-10 mg/kg body weight (IM/IV) and Calf, Sheep & Goat: 10-15 mg/kg body weight (IM/IV) or as directed by the veterinarian

Indications:

- √ Gastro intestinal infection-Enteritis, Calf Scours, Diarrhoea of specific and non-specific origin.
- √ Mastitis, Osteo Arthritis, Bacterial septicaemia and Bronchitis.



BYCEF PLUS

Composition: (Each Vial Contains)
Ceftriaxone Sodium I.P. eq. to Ceftriaxone 3 gm
Sterile Sulbactam Sodium U.S.P Eq to Sulbactam 1.5 gm.
Administration:

Cattle & buffalo: 5-10 mg/kg body weight (IM/IV) and Calf, Sheep & Goat: 10-15 mg/kg

body weight (IM/IV) or as directed by the veterinarian

Indications:

- Mastitis, Osteo Arthritis, Bacterial septicaemia, Bronchitis, Bone and joint infections.
- ✓ Upper and lower Respiratory tract infections such as Pneumonia and Bronchitis



BYCEF

Composition: (Each Vial Contains): Ceftriaxone Sodium I.P. 4 gm **Excipients**

Administration: Cattle & buffalo: 5-10 mg/kg body weight (IM/IV) and

Calf, Sheep & Goat: 10-15 mg/kg body weight (IM/IV) or as directed by the veterinarian

Indications:

- Mastitis, Osteo Arthritis, Bacterial septicaemia, Bronchitis and Bronchop
- Infections associated with viral diseases, pre and postoperative treatments, deep wounds.



BYMOX

Composition: (Each Vial Contains): Amoxicillin Sodium L.P. 2 gms

Sterile Sulbactam Sodium: 1 gm + Excipients Q s

Administration:

Cattle, buffalo, calf, sheep and goat: 5-15mg / kg body weight (IM/IV) or as directed by the veterinarian

Indications:

- Mastitis, Otitis, Urogenital tract infections, Nephritis, Endometritis, Cervicitis, Pyometra
- Infections associated with viral diseases like FMD, Sheep Pow, BT and PPR.



MOFAXIN

Composition: (Each 1 ml vial contains) Moxifloxacin Hydrochloride I.P. 100 mg sterile water

Administration:

Cattle, buffalo, calf, sheep and goat: 5mg/kg body weight (IM/IV) or as directed

by the veterinarian

Indications:

- √ Haemorrhagic septicaemia, Contagious Bovine Pleuro Pneumonia, Pneumonia, Bronchoprneumonia, Endometritis, Pyometra.
- Mastitis caused by E coli, Streptococcus, staphylococcus, Mycoplasm.



FLOXIVET

Composition: (Each ml contains): Enrofloxacin 100 mg + Excipients Q.s

Administration:

Cattle, buffalo, sheep and goat: 5-10 mg/kg body weight or 1-2 ml/20 kg body weight IM/Slow IV or as directed by the veterinarian

Indications:

- Respiratory tract infections such as Bronchoppneu monia, Pneumonia and Bronchitis.
- Non-Specific Infectious conditions like PUO, H.S., B.Q., E.T., CBPP & CCPP
- Skin and Soft tissue infections; Bone and joint infections.



FLOXIVET-LA

Composition: (Each ml contains): Enrofloxacin: 200 mg + Excipients

Administration:

Cattle, buffalo, sheep and goat: 5-10 mg/kg body weight or 1-2 ml/20 kg body weight IM//Slow IV or as directed by the veterinarian

Indications:

- Respiratory Tract Infection. Uro-Genital tract infections.
- Diarrhoae, Enteritis, Endometritis, Pyometra, Retained Placenta.
- Skin and Soft tissue infections; Bone and joint infections.



VETBIO-OXY

Composition: (Each ml contains):

Oxytetracycline Hydrochloride I.P. **Excipients**

Administration: Cattle, buffalo, sheep & goat: 1 ml/ 10kg body weight (IM/IV). Poultry: 1ml/4 kg body weight or as directed by the veterinarian

Indications:

- To control Secondary bacterial infections in viral diseases like FMD, PPR, BT etc.
- Anaplasmosis, Theileriosis, Mastitis, Endometritis and wounds.



Composition: (Each ml contains):
Oxytetracycline Hydrochloride I.P. 200mg
Excipients O.s

Administration: Cattle, Buffalo, sheep and goat: 1 ml/10 kg body weight (IM/IV/SC) or as directed by the veterinarian.

Indications:

- √ To control Secondary bacterial infections in viral diseases like FMD, PPR, BT etc.
- ✓ Anaplasmosis, Theileriosis, Mastitis, Endometritis and wounds.



AC-CLOX

Composition: (Each ml Contains): Ampicillin Sodium (Sterile) I.P. eq. to Ampicillin Anhydrous 1500 mg and Cloxacillin Sodium (Sterile) I.P. Eq. to Cloxacillin 1500 mg

Administration :

Cattle & Buffalo: 5-10 mg/kg body weight,

Sheep & Goat: 10-15 mg /kg body weight (IM/IV/SC) or as directed by the veterinarian.

Indications:

- √ Respiratory tract infections, Mastitis, Calfscours, Otitis and Diarrhoea
- ✓ Wounds, Abscess, Enteritis, Bronchop neumonia, Anthrax, Black Quarter (B.Q), Haemorhagic Septicaemia (H.S) and Uterine diseases in cattle.



FLOXY-FLU

Composition : (Each ml contains): Flunixin Meglumine I.P. 83 mg and Enrofloxacin 150 mg

Administration:

Cattle, Buffalo, sheep & goat: 1 ml per 25 kg Body Weight (IM/IV/SC) or as directed by the veterinarian.

Indications:

- √ Respiratory Infections, Urogenital infections, Wounds, Injuries and Inflammation.
- Acute and Chronic Mastitis, Post-surgical management.



BYSIN-100

Composition: (Each ml contains):

Tylosin 100 mg + Excipients Q.s

Administration: Cattle, Buffalo, Sheep and Goat: 1 ml / 10 kg body weight or as directed by the veterinarian

Indications :

- ✓ CRD, CBPP, CCPP, Contagious Agalactia and Mastitis
- ✓ Active against Leptospira, Spirochaetes, Mycol pasma, Moraxella, Haemophillus, chlamydia, clostridium and campylobacter



VETBIO-MEG

Composition: (Each ml contains) Flunixin Meglumine I.P. 50 mg Excipients Q.s

Administration: Cattle, buffalo, sheep & goat: 2 ml / 45kg body weight or as directed by the veterinarian

Indications:

- ✓ Musculo skeletal Disorder like Myositis, limping, Lameness, Osteo arthritis, Sprains and Laminitis.
- √ Acute and chronic Inflammation , Postoperative pain etc
- √ Acute Bovine Mastitis. Pneumonia and Bronchitis.



MELO PLUS

Composition: (Each ml contains)
Meloxicam 5 mg, Paracetamol 150 mg
Lignocaine Hcl 1% w/v, Excipients Q.s

Administration:

Cattle, buffalo, Sheep & Goat: 1ml/10 kg body weight or as directed by the veterinarian

Indications :

- Musculo skeletal Disorder like Myositis, limping, Lameness, Osteo arthritis, Sprains and Laminitis.
- ✓ Acute and chronic Inflammation, Post-operative pain etc.



PAINKILERS

BYNIM

Composition: (Each ml contains)
Nimesulide B.P 100 mg + Excipients Q.s

Administration: Cattle, buffalo, sheep and goat: 2-4 mg/kg body weight or 10-15 ml deep IM (Cattle & Buffalo) and 1-2 ml deep IM (Sheep & goat) or as directed by the veterinarian

Indications:

- Musculo skeletal disorders like-Myositis, limping, lameness, Osteoarthritis and sprains and wounds.
- ✓ Acute and chronic Inflammation, Postoperative pain, Mastitis, Contagious Ecthyma.



BYNIM PLUS Composition: (Each ml co

Composition: (Each ml contains)
Nimesulide I.P. 100 mg, Paracetamol I.P. 150 mg
Excipients Q.s

Administration: Cattle, buffalo, sheep and goat: 2-4 mg/kg body weight or 10-15 ml deep IM (Cattle & Buffalo) and 1-2 ml deep IM (Sheep & goat) or as directed by the veterinarian

Indications:

- √ Mastitis, Prolapse utrus, Bronchitis and Pneumonia.
- √ Safe and long acting. Ephemeral fever. Pyrexia of unknowing organs.



BYNEURO

Composition: (Each ml contains)

Thiamine Hydrochloride (B1) I.P. 50 mg, Pyridoxine
Hydrochloride (B6) I.P. 50 mg, Cyanocobalamin (B12)
I.P. 500 mcg, Excipients Q.s

Administration: Cattle & buffalo: 10 ml IM/IV. Calf, sheep and goat: 2-5 ml IM/IV or as directed by the veterinarian

Indications:

- √ Metabolic Disorders like ketosis, acid indigestion etc., Non-specific Anorexia, Indigestion.
- ✓ Paralysis, Posterior peresis, Polio encephalo Malacia in cattle, sheep and goat.
- √ Supportive during Deworming, antibiotic treatment and Anti-protozoan treatment (Trypanosomiasis and Babesiosis etc.)



BYNEURO-M

Composition: (Each 2 ml contains)
Methylcobalamin 1000 mcg, Pyridoxine Hydrochloride
(Vitamin b6) I.P. 100 mg, Niacinamide I.P. 100 mg,
Excipients Q.s

Administration: Cattle & buffalo: 5-10 ml daily for 3-5 days., Sheep & goat: 2-3 ml daily for 3-5 days or as directed by the veterinarian

Indications:

- ✓ Metabolic Disorders like ketosis, acid indigestion etc., Non-specific Anorexia, Indigestion.
 ✓ Paralysis, Posterior peresis, Polio encephalo
- Malacia in cattle, sheep and goat.
- √ Supportive during Deworming, antibiotic treatment and Anti-protozoan treatment (Trypanosomiasis and Babesiosis etc.)



MINISTAMINES

BIO-DEXA DEXAMETHASONE INJ

Composition: (Each ml contains)

Dexamethasone Sodium Phosphate 1.P. 4.0 mg.

Excipients Q.s

Administration:

Cattle & buffalo: 10 ml IM/IV and calf, sheep and goat: 2-5 ml IM/IV or as directed by the veterinarian

Indications:

- ✓ Acute Inflammation like Arthritis, Conjunctivitis, Dermatitis, Yokegall, Bursitis, Toxemia, Ketosis in dairy animals.
- Allergic Reactions, Shock and Anaphylaxix, Various types of Eczema, Sunburns, Severe Pruritis, Acid Indigestion.



VB-MEC

Composition: (Each ml contains)
Ivermectin I.P. 10 mg + Excipients Q.s

Administration:

Cattle, buffalo, sheep and goat : 1 ml/50 kg

body weight or

as directed by the veterinarian

Indications:

 Microfilarial infestations, Nasalbots, Maggott wounds, Nematode infections, Scabies, Pediculosis, ticks and mites.



VMITRAZ

Composition: (Each ml contains)

Amitraz I.P: 125 mg Solvents & Emulsifiers: q.s

Administration:

Cattle & Buffalo: 2 ml/ltrSheep & Goat: 4 ml/ltr

or as directed by the veterinarian

Indications:

✓ Effective against ticks, mites, lice and keds.



TIKKI CURE

Composition: (Each ml contains) Cypermethrin-High Cis: 100 mg

Administration:

Cattle: 1 ml/ltr of water. Whole body spray

Sheep & Goat: 1 ml/ltr of water Dogs: 1 ml/ltr of water

Poultry: 1 ml/ltr of water. 60 ltr of spray mixture per 1000 birds.

Indications:

✓ Controls Ticks, mites, lice, fleas



ANTIPARASITICS

Best Remedy For Those Who Care for Animals...

